2015 Oklahoma Abortion Statistics

A Woman's Right to Know

Introduction


The Oklahoma State Department of Health (OSDH) collects statistical data of the abortions performed in licensed abortion facilities in Oklahoma. This data is used to monitor legal induced abortion in the state and to describe those women receiving legal abortion services. The data referred to in this report has been taken from http://www.health.state.ok.us/ok2share/ and compiled to present common characteristics of women who obtained legal abortions in the state of Oklahoma.

Table 1. 2015 Number of Legal Induced Abortions Reported


In 2015, 4,709 abortions were reported to OSDH. This averages to 392 abortions per month.

	Nu	mber of Leaal Induc	ed Abortions Reported		
Total number of Abortions	4709		Total number of Abortions	4709	
Age (yrs)	Number	Percentage	Previous Live Births	Number	Percentage
<20	525	11.1%	0	1891	40.2%
20-24	1554	33.0%	1	1198	25.4%
25-29	1215	25.8%	2	950	20.2%
30-34	837	17.8%	3	427	9.1%
≥35	576	12.2%	≥4	239	5.1%
Race			Previous Abortions		
White	2878	61.1%	0	3143	66.7%
Black	914	19.4%	1	1053	22.4%
American Indian	214	4.5%	2	325	6.9%
Asian	193	4.1%	≥3	181	3.8%
Other	510	10.8%	Gestational Age		
Marital Status			≤6 wks	2857	60.7%
Married	748	15.9%	7 wks	422	9.0%
Never Married	3397	72.1%	8 wks	382	8.1%
Separated	144	3.1%	9-10 wks	515	10.9%
Divorced	389	8.3%	11-12 wks	396	8.4%
Widowed	30	0.6%	13-15 wks	133	2.8%
Education			21+ weeks	4	0.1%
<8th grade	47	1.0%	Type of Procedure		
9-12 grade, no diploma	433	9.2%	Suction Aspiration	2096	44.5%
Highschool graduate or GED	1848	39.2%	RU-486	1825	38.8%
Some College Credit	1606	34.1%	Dilation & Curettage	474	10.1%
Bachelor's Degree	612	13.0%	Dilation & Evacuation	288	6.1%
Post Grad Work	158	3.4%	Unknown	26	0.6%


The majority of abortions were obtained by women aged 20-29 years of age (58.8%). Women over 30 years of age comprised 30% of the abortions while women under the age of 20 obtained 11.1% of the abortions.




The majority of abortions were to white women (61.1%), with black women at 19.4% and the lowest percentage was Asian women (4.1%). Other comprised 10.8%.




The majority of abortions were to women who have never been married (72.1%). Married women obtained 15.9% of the abortions in 2015, and women who were separated or divorced obtained 11.4%.




The highest percentage of abortions were to women who have attained a high school diploma or GED (39.2%), the next was to women who have some college credits, but not graduated (34.1%).




In 2015, 59.8% of the abortions were on women who have had at least one prior live birth. Women who had no prior live births comprised 40.2%.



Women who had no previous abortions were 66.7% while 33.3% of the abortions were obtained by women who have had at least one or more previous abortions.



The majority of abortions in Oklahoma were performed on women in the first 12 weeks of pregnancy (97.1%).



The two most common procedures used on women obtaining abortions were Suction Aspiration, first trimester surgical procedure (44.5%) and RU-486, non-surgical (38.8%).




Table 2. 2015 Number of Legal Induced Abortions Reported – By Age Groups and Selected Characteristics

	Age G	roup (yrs								
Characteristic	<	20	20-	-24	25-29		30-34		≥3	35
Total Number of Abortions	525	%	1554	%	1215	%	837	%	576	%
White	312	59.4%	956	61.5%	751	61.8%	500	59.7%	351	60.9%
Black	89	17.0%	304	19.6%	246	20.2%	173	20.7%	94	16.3%
American Indian	33	6.3%	81	5.2%	46	3.8%	34	4.1%	20	3.5%
Asian	13	2.5%	37	2.4%	47	3.9%	42	5.0%	54	9.4%
Other	70	13.3%	176	11.3%	124	10.2%	87	10.4%	53	9.2%
Education										
<8th grade	13	2.5%	8	0.5%	10	0.8%	10	1.2%	6	1.0%
9-12 grade, no diploma	186	35.4%	97	6.2%	80	6.6%	43	5.1%	20	3.5%
Highschool graduate or GED	217	41.3%	655	42.1%	461	37.9%	307	36.7%	208	36.1%
Some College Credit	104	19.8%	626	40.3%	422	34.7%	293	35.0%	159	27.6%
Bachelor's Degree	1	0.2%	149	9.6%	186	15.3%	134	16.0%	142	24.7%
Post Grad Work	*	*	19	1.2%	55	4.5%	48	5.7%	36	6.3%
Marital Status										
Married	*	*	128	8.2%	207	17.0%	207	24.7%	201	34.9%
Never Married	521	99.2%	1336	86.0%	864	71.1%	454	54.2%	222	38.5%
Separated	*	*	37	2.4%	37	3.0%	39	4.7%	25	4.3%
Divorced	0	0.0%	50	3.2%	101	8.3%	128	15.3%	110	19.1%
Widowed	0	0.0%	3	0.2%	5	0.4%	9	1.1%	13	2.3%
Previous Live Births							-			
0 Previous Live Births	463	88.2%	829	53.3%	406	33.4%	141	16.8%	52	9.0%
1 Previous Live Birth	59	11.2%	452	29.1%	335	27.6%	221	26.4%	131	22.7%
2 Previous Live Births	*	*	196	12.6%	306	25.2%	234	28.0%	211	36.6%
3 Previous Live Births	*	*	62	4.0%	115	9.5%	146	17.4%	99	17.2%
≥4 Previous Live Births	0	0.0%	11	0.7%	53	4.4%	95	11.4%	80	13.9%
Previous ITOPs	-		•	•	·		•	-	•	
0 Previous Abortions	485	92.4%	1200	77.2%	729	60.0%	436	52.1%	292	50.7%
1 Previous Abortion	38	7.2%	277	17.8%	336	27.7%	233	27.8%	169	29.3%
2 Previous Abortions	2	0.4%	60	3.9%	98	8.1%	100	11.9%	65	11.3%
≥3 Previous Abortions	0	0.0%	13	0.8%	51	4.2%	68	8.1%	49	8.5%
Gestational Age		•						•		
≤8 wks	381	72.6%	1209	77.8%	940	77.4%	662	79.1%	469	81.4%
9-10 wks	70	13.3%	169	10.9%	147	12.1%	78	9.3%	51	8.9%
11-12 wks	55		133	8.6%	94	7.7%	72	8.6%	42	7.3%
13-15 wks	19	3.6%	43	2.8%	34	2.8%	23	2.7%	14	2.4%
≥16 wks	0	0.0%	0	0.0%	0	0.0%	2	0.2%	2	*
Type of Procedure	•								-	
Suction Aspiration	275	52.4%	714	45.9%	520	42.8%	342	40.9%	245	42.5%
RU-486	167		593	38.2%	489	40.2%	340	40.6%	236	41.0%
Dilation & Curettage	50		137	8.8%	131	10.8%	94	11.2%	62	10.8%
Dilation & Evacuation	33		103	6.6%	71	5.8%	51	6.1%	30	5.2%

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 6/21/2016http://www.health.state.ok.us/stats/index.shtml

Table 3. 2015 Number of Legal Induced Abortions Reported – By Race and Selected Characteristics

	Race		I		I		I			
Characteristic	White		Black		Am. Ind	ian	Asian		Other	
Total Number of Abortions	2878	%	914	%	214	%	193	%	510	%
<20 yrs	312	10.8%	89	9.7%	33	15.4%	13	6.7%	70	13.7%
20-24 yrs	956	33.2%	304	33.3%	81	37.9%	37	19.2%	176	34.5%
25-29 yrs	751	26.1%	246	26.9%	46	21.5%	47	24.4%	124	24.3%
30-34 yrs	500	17.4%	173	18.9%	34	15.9%	42	21.8%	87	17.1%
≥35 yrs	351	12.2%	94	10.3%	20	9.3%	54	28.0%	53	10.4%
Education										
<8th grade	13	0.5%	8	0.9%	4	1.9%	3	1.6%	19	3.7%
9-12 grade, no diploma	251	8.7%	61	6.7%	31	14.5%	9	4.7%	81	15.9%
Highschool graduate or GED	1121	39.0%	335	36.7%	97	45.3%	65	33.7%	230	45.1%
Some College Credit	987	34.3%	370	40.5%	60	28.0%	52	26.9%	139	27.3%
Bachelor's Degree	415	14.4%	108	11.8%	18	8.4%	39	20.2%	31	6.1%
Post Grad Work	88	3.1%	32	3.5%	4	1.9%	25	13.0%	9	1.8%
Previous Live Births	•	-		-	•					
0 Previous Live Births	1250	43.4%	285	31.2%	92	43.0%	82	42.5%	181	35.5%
1 Previous Live Birth	725	25.2%	264	28.9%	50	23.4%	38	19.7%	120	23.5%
2 Previous Live Births	564	19.6%	198	21.7%	38	17.8%	52	26.9%	98	19.2%
3 Previous Live Births	232	8.1%	97	10.6%	16	7.5%	17	8.8%	65	12.7%
≥4 Previous Live Births	103	3.6%		7.7%	17	7.9%	4	2.1%	45	8.8%
Previous ITOPs										
0 Previous Abortions	1959	68.1%	546	59.7%	143	66.8%	130	67.4%	363	71.2%
1 Previous Abortion	630	21.9%		25.6%		20.1%		20.2%		21.0%
2 Previous Abortions	190	6.6%	76	8.3%	13	6.1%	21	10.9%	25	4.9%
≥3 Previous Abortions	93	3.2%		6.3%	14	6.5%		1.6%	13	2.5%
Marital Status										
Married	469	16.3%	81	8.9%	29	13.6%	77	39.9%	92	18.0%
Never Married		68.7%	793	86.8%		73.8%		53.9%		71.6%
Separated	105	3.6%	9	1.0%	3	1.4%	3	1.6%	24	4.7%
Divorced	307	10.7%	25	2.7%	24	11.2%	7	3.6%	25	4.9%
Widowed	19	0.7%	6	0.7%		*	2	1.0%	4	0.8%
Gestational Age										
<6 wks	1807	62.8%	455	49.8%	145	67.8%	136	70.5%	312	61.2%
7 wks	i 	8.6%		11.3%		2.8%		8.3%		9.6%
8 wks	220				17	7.9%	13	6.7%	45	
9-10 wks	_	10.6%		13.9%	17	7.9%		7.8%		10.0%
11-12 wks	223			12.3%	19	8.9%	8	4.1%	34	6.7%
13-15 wks	71				10	4.7%		1.6%	19	
16-20 wks	2				0				0	
Type of Procedure		2.2.0		2.0,0		2,2,0				2.07
Suction Aspiration	1325	46.0%	458	50.1%	25	11.7%	89	46.1%	198	38.8%
RU-486	_	39.0%		30.1%		61.2%		42.5%		42.2%
Dilation & Curettage	_	9.2%		10.7%		18.2%		8.3%		11.2%
Dilation & Evacuation	150				i	8.4%		2.1%	37	
* (less than 5 events/popul				0.070	10	J. 770	-	2.1/0		7.570

 $Oklahoma\ State\ Department\ of\ Health. OK2Share\ Vital\ Statistics.\ Accessed\ on\ 6/21/2016 < http://www.health.state.ok.us/stats/index.shtml$

Table 4. 2015 Number of Legal Induced Abortions Reported – By Gestational Age and Selected Characteristics

Gestational Age														
Characteristic	<6	wks	7	wks	8	wks	9-1	0 wks	11-1	L2 wks	13-1	L5 wks	16+	- wks
Total Number of Abortions	2857	%	422	%	382	%	515	%	396	%	133	%	4	%
White	1807	63.2%	248	58.8%	220	57.6%	305	59.2%	223	56.3%	71	53.4%	2	50.0%
Black	455	15.9%	103	24.4%	87	22.8%	127	24.7%	112	28.3%	30	22.6%	0	0.0%
Am. Indian	145	5.1%	6	1.4%	17	4.5%	17	3.3%	19	4.8%	10	7.5%	0	0.0%
Asian	136	4.8%	16	3.8%	13	3.4%	15	2.9%	8	2.0%	3	2.3%	2	50.0%
Other	312	10.9%	49	11.6%	45	11.8%	51	9.9%	34	8.6%	19	14.3%	0	0.0%
Age of Mother														
<20 yrs	279	9.8%	54	12.8%	45	11.8%	70	13.6%	55	13.9%	19	14.3%	0	0.0%
20-24 yrs	928	32.5%	146	34.6%	135	35.3%	169	32.8%	133	33.6%	43	32.3%	0	0.0%
25-29 yrs	749	26.2%	111	26.3%	80	20.9%	147	28.5%	94	23.7%	34	25.6%	0	0.0%
30-34 yrs	526	18.4%	73	17.3%	63	16.5%	78	15.1%	72	18.2%	23	17.3%	2	50.0%
≥35 yrs	375	13.1%	35	8.3%	57	14.9%	51	9.9%	42	10.6%	14	10.5%	2	50.0%
Education				-				-						
< 8th grade	31	1.1%	1	0.2%	6	1.6%	5	1.0%	2	0.5%	2	1.5%	0	0.0%
9-12 grade, no diploma	209	7.3%	45	10.7%	38	9.9%	72	14.0%	56	14.1%	13	9.8%	0	0.0%
Highscchool graduate or GED	1119	39.2%	154	36.5%	150	39.3%	190	36.9%	158	39.9%	77	57.9%	0	0.0%
Some college	961	33.6%	159	37.7%	126	33.0%	189	36.7%	138	34.8%	34	25.6%	1	25.0%
College graduate	431	15.1%	45	10.7%	46	12.0%	48	9.3%	32	8.1%	7	5.3%	3	75.0%
Post grad work	104	3.6%	18	4.3%	16	4.2%	10	1.9%	10	2.5%	1	0.8%	0	0.0%
Marital Status														
Married	507	17.7%	61	14.5%	52	13.6%	67	13.0%	46	11.6%	11	8.3%	4	100.0%
Never Married	1985	69.5%	317	75.1%	290	75.9%	397	77.1%	302	76.3%	106	79.7%	0	0.0%
Separated	91	3.2%	8	1.9%	9	2.4%	13	2.5%	17	4.3%	6	4.5%	0	0.0%
Divorced	257	9.0%	32	7.6%	25	6.5%	36	7.0%	30	7.6%	9	6.8%	0	0.0%
Widowed	16	0.6%	4	0.9%	6	1.6%	2	0.4%	1	0.3%	1	0.8%	0	0.0%
Previous Live Births														
0 Previous Births	1183	41.4%	184	43.6%	152	39.8%	188	36.5%	136	34.3%	47	35.3%	1	25.0%
1 Previous Birth	711	24.9%	100	23.7%	96	25.1%	147	28.5%	106	26.8%	36	27.1%	2	50.0%
2 Previous Births	569	19.9%	89	21.1%	79	20.7%	88	17.1%	97	24.5%	28	21.1%	0	0.0%
3 Previous Births	258	9.0%	25	5.9%	38	9.9%	59	11.5%	39	9.8%	7	5.3%	1	25.0%
≥4 Previous Births	133	4.7%	23	5.5%	17	4.5%	33	6.4%	18	4.5%	15	11.3%	0	0.0%
Previous ITOPs														
0 Previous Abortions	1898	66.4%	282	66.8%	252	66.0%	353	68.5%	260	65.7%	94	70.7%	4	100.0%
1 Previous Abortion	663	23.2%	95	22.5%	88	23.0%	101	19.6%	88	22.2%	18	13.5%	0	0.0%
2 Previous Abortions	187	6.5%	27	6.4%	28	7.3%	39	7.6%	31	7.8%	13	9.8%	0	0.0%
≥3 Previous Abortions	106	3.7%	15	3.6%	14	3.7%	22	4.3%	16	4.0%	8	6.0%	0	0.0%
Type of Procedure														
Suction Aspiration	966	33.8%	305	72.3%	259	67.8%	361	70.1%	205	51.8%	0	0.0%	0	0.0%
RU-486	1816	63.6%	5	1.2%	1	0.3%	0	0.0%	0	0.0%	3	2.3%	0	0.0%
Dilation & Curettage	61	2.1%	109	25.8%	120	31.4%	145	28.2%	38	9.6%	1	0.8%	0	0.0%
Unknown	11	0.4%	2	0.5%	2	0.5%	7	1.4%	0		0	0.0%	4	100.0%
Dilation & Evacuation	3	0.1%	1	0.2%	0	0.0%	2	0.4%	153	38.6%	129	97.0%	0	0.0%

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 6/22/2016http://www.health.state.ok.us/stats/index.shtml

Table 5. 2015 Number of Legal Induced Abortions Reported – By Marital Status and Selected Characteristics

	Marital							
Characteristic	Mar			Married	Separ		Divo	
Total Number of Abortions	748	%	3397	%	144	%	389	%
White	469	62.7%	1976	58.2%	105	72.9%	307	78.9%
Black	81	10.8%	793	23.3%	9	6.3%	25	6.4%
American Indian	29	3.9%	158	4.7%	3	2.1%	24	6.2%
Asian	77	10.3%	104	3.1%	3	2.1%	7	1.8%
Other	92	12.3%	365	10.7%	24	16.7%	25	6.4%
Education								
<8th grade	7	0.9%	38	1.1%	2	1.4%	0	0.0%
9-12 grade, no diploma	34	4.5%	364	10.7%	20	13.9%	13	3.3%
Highschool graduate or GED	282	37.7%	1344	39.6%	68	47.2%	136	35.0%
Some College Credit	219	29.3%	1193	35.1%	32	22.2%	158	40.6%
Bachelor's Degree	160	21.4%	368	10.8%	18	12.5%	62	15.9%
Post Grad Work	46	6.1%	87	2.6%	5	3.5%	20	5.1%
Previous Live Births								
0 Previous Live Births	107	14.3%	1723	50.7%	16	11.1%	42	10.8%
1 Previous Live Birth	190	25.4%	848	25.0%		29.2%		29.3%
2 Previous Live Births	247	33.0%	502	14.8%		33.3%		37.0%
3 Previous Live Births	140	18.7%	194	5.7%		17.4%		14.4%
≥4 Previous Live Births	64	8.6%	126	3.7%	13	9.0%	33	8.5%
Previous Abortions	<u> </u>	0.075		3.7,0		51075		0.07
0 Previous Abortions	506	67.6%	2312	68.1%	86	59.7%	224	57.6%
1 Previous Abortion	159	21.3%	729	21.5%	41	28.5%		29.0%
2 Previous Abortions	55	7.4%	225	6.6%	11	7.6%	34	8.7%
≥3 Previous Abortions	28	3.7%	126	3.7%	5	3.5%	17	4.4%
Gestational Age	20	3.770	120	3.770	5	3.370	17	7.770
< 6 wks	507	67.8%	1005	58.4%	01	63.2%	257	66.1%
7 wks		8.2%		9.3%		5.6%		8.2%
8 wks	52	7.0%	290	8.5%	9	6.3%	25	6.4%
9-10 wks	67	9.0%	397	11.7%	13	9.0%	36	9.3%
11-12 wks	46	6.1%	302	8.9%	17	11.8%	30	7.7%
13-15 wks	11	1.5%		3.1%		4.2%	9	2.3%
13-13 WKS ≥16 WKS	4		106		6			
	4	0.5%	0	0.0%	0	0.0%	0	0.0%
Type of Procedure	247	46.40/	4527	45.00/	40	27.00/	474	44.70/
Suction Aspiration	347		1527	45.0%		27.8%		44.7%
RU-486	309	41.3%	1278	37.6%		45.8%	157	
Dilation & Curettage	57	7.6%	354	10.4%		15.3%	35	9.0%
Dilation & Evacuation	28	3.7%	223	6.6%	15	10.4%	20	5.1%
Age of Mother		ata			ata I	- I		
<20 yrs	*	*	521	13.370	*	*	0	0.0%
20-24 yrs	128	17.1%	1336	39.3%	37	25.7%		12.9%
25-29 yrs	207	27.7%	864	25.4%		25.7%		26.0%
30-34 yrs	207		454	13.4%		27.1%		32.9%
≥ 35 yrs	201	26.9%	222	6.5%	25	17.4%	110	28.3%

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 7/7/2016https://www.health.state.ok.us/stats/index.shtml

Table 6. 2015 Number of Legal Induced Abortions Reported – By Type of Procedure and Selected Characteristics

	Type of Pi	rocedure						
Characteristic	Suction As	spiration	RU-4	186	Dilation &	Curettage	Dilation & E	vacuation
Total Number of Abortions	2096	%	1825	%	474	%	288	%
White	1325	63.2%	1121	61.4%	264	55.7%	150	52.1%
Black	458	21.9%	275	15.1%	98	20.7%	79	27.4%
American Indian	25	1.2%	131	7.2%	39	8.2%	18	6.3%
Asian	89	4.2%	82	4.5%	16	3.4%	4	1.4%
Other	198	9.4%	215	11.8%	57	12.0%	37	12.8%
Age of Mother								
< 20 yrs	275	13.1%	167	9.2%	50	10.5%	33	11.5%
20-24 yrs	714	34.1%	593	32.5%	137	28.9%	103	35.8%
25-29 yrs	520	24.8%	489	26.8%	131	27.6%	71	24.7%
30-34 yrs	342	16.3%	340	18.6%	94	19.8%	51	17.7%
≥35 yrs	245	11.7%	236	12.9%	62	13.1%	30	10.4%
Marital Status		-						
Married	347	16.6%	309	16.9%	57	12.0%	28	9.7%
Unmarried	1527	72.9%	1278	70.0%	354	74.7%	223	77.4%
Separated	40	1.9%	66	3.6%	22	4.6%	15	5.2%
Divorced	174	8.3%	157	8.6%	35	7.4%	20	6.9%
Widowed	8	0.4%	14	0.8%	6	1.3%	2	0.7%
Education					·			
< 8th grade	18	0.9%	21	1.2%	6	1.3%	2	0.7%
9-12 grade, no diploma	203	9.7%	134	7.3%	64	13.5%	32	11.1%
Highschool graduate or GED	635	30.3%	812	44.5%	239	50.4%	154	53.5%
Some College Credit	807	38.5%	570	31.2%	134	28.3%	85	29.5%
Bachelor's Degree	319	15.2%	244	13.4%	28	5.9%	15	5.2%
Post Grad Work	114	5.4%	42	2.3%	3	0.6%	0	0.0%
Previous Live Births								
0 Previous Live Births	939	44.8%	709	38.8%	136	28.7%	99	34.4%
1 Previous Live Birth	520	24.8%	465	25.5%	127	26.8%	78	27.1%
2 Previous Live Births	384	18.3%	391	21.4%	113	23.8%	58	20.1%
3 Previous Live Births	168	8.0%	169	9.3%	59	12.4%	27	9.4%
≥4 Previous Live Births	84	4.0%	89	4.9%	39	8.2%	25	8.7%
Previous Abortions								
0 Previous Abortions	1397	66.7%	1241	68.0%	288	60.8%	199	69.1%
1 Previous Abortion	504	24.0%	387	21.2%	110	23.2%	46	16.0%
2 Previous Abortions	139	6.6%	123	6.7%	36	7.6%	26	9.0%
≥ 3 Previous Abortions	54	2.6%	72	3.9%	39	8.2%	15	5.2%
Gestational Age								
≤6 wks	966	46.1%	1816	99.5%	61	12.9%	3	1.0%
7 wks	305	14.6%	5	0.3%	109	23.0%	1	0.3%
8 wks	259	19.5%	1	0.1%	120	25.3%	0	0.0%
9-10 wks	361	17.2%	0	0.0%	145	30.6%	2	0.7%
11-12 wks	205	9.8%	0	0.0%	38	8.0%	153	53.1%
13-15 wks	0	0.0%	3	0.2%	1	0.2%	129	44.8%
16 + wks	0	0.0%	0	0.0%	0	0.0%	0	0.0%

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 7/7/2016http://www.health.state.ok.us/stats/index.shtml

Table 7. 2015 Number of Legal Induced Abortions Reported – By Mother's Education and Selected Characteristics

	Educat	tion of N	/lother									
			9-12	, no	H.S./	GED			Bache	elor's	Post	Grad
Characteristics	< 8th	grade	diplo		comp		Some (College	Deg	ree	Wo	ork
Total # of abortions	47	%	433	%	1848	%	1606	%	612	%	158	%
White	13	27.7%	251	58.0%	1121	60.7%	987	61.5%	415	67.8%	88	55.7%
Black	8	17.0%	61	14.1%	335	18.1%	370	23.0%	108	17.6%	32	20.3%
American Indian	4	8.5%	31	7.2%	97	5.2%	60	3.7%	18	2.9%	4	2.5%
Asian	3	6.4%	9	2.1%	65	3.5%	52	3.2%	39	6.4%	25	15.8%
Other	19	40.4%	81	18.7%	230	12.4%	139	8.7%	31	5.1%	9	5.7%
Age of Mother												
<20 yrs	13	27.7%	186	43.0%	217	11.7%	104	6.5%	1	0.2%	0	0.0%
20-24 yrs	8	17.0%	97	22.4%	655	35.4%	626	39.0%	149	24.3%	19	12.0%
25-29 yrs	10	21.3%	80	18.5%	461	24.9%	422	26.3%	186	30.4%	55	34.8%
30-34 yrs	10	21.3%	43	9.9%	307	16.6%	293	18.2%	134	21.9%	48	30.4%
≥ 35 yrs	6	12.8%	20	4.6%	208	11.3%	159	9.9%	142	23.2%	36	22.8%
Marital Status												
Married	7	14.9%	34	7.9%	282	15.3%	219	13.6%	160	26.1%	46	29.1%
Never Married	38	80.9%	364	84.1%	1344	72.7%	1193	74.3%	368	60.1%	87	55.1%
Separated	2	4.3%	20	4.6%	68	3.7%	32	2.0%	18	2.9%	5	3.2%
Divorced	0	0.0%	13	3.0%	136	7.4%	158	9.8%	62	10.1%	20	12.7%
Previous Live Bir	ths											
0 Live Births	22	46.8%	182	42.0%	616	33.3%	710	44.2%	281	45.9%	80	50.6%
1 Live Birth	3	6.4%	91	21.0%	502	27.2%	410	25.5%	154	25.2%	38	24.1%
2 Live Births	3	6.4%	69	15.9%	415	22.5%	305	19.0%	126	20.6%	29	18.4%
3 Live Births	10	21.3%	56	12.9%	192	10.4%	127	7.9%	32	5.2%	10	6.3%
≥4 Live Births	9	19.1%	35	8.1%	121	6.5%	54	3.4%	19	3.1%	1	0.6%
Previous Abortio	ns											
0 Abortions	36	76.6%	327	75.5%	1227	66.4%	1036	64.5%	413	67.5%	103	65.2%
1 Abortion	9	19.1%	73	16.9%	404	21.9%	372	23.2%	153	25.0%	41	25.9%
2 Abortions	0	0.0%	22	5.1%	131	7.1%	129	8.0%	33	5.4%	10	6.3%
≥3 Abortions	2	4.3%	11	2.5%	83	4.5%	68	4.2%	12	2.0%	4	2.5%
Gestational Age												
≤6 wks	31	66.0%	209	48.3%	1119	60.6%	961	59.8%	431	70.4%	104	65.8%
7 wks	1	2.1%	45	10.4%	154	8.3%	159	9.9%	45	7.4%	18	11.4%
8 wks	6	12.8%	38	8.8%	150	8.1%	126	7.8%	46	7.5%	16	10.1%
9-10 wks	5	10.6%	72	16.6%	190	10.3%	189	11.8%	48	7.8%	10	6.3%
11-12 wks	2	4.3%	56	12.9%	158	8.5%	138	8.6%	32	5.2%	10	6.3%
13-15 wks	2	4.3%	13	3.0%	77	4.2%	34	2.1%	7	1.1%	1	0.6%
16+ wks	0	0.0%	0	0.0%	0	0.0%	1	0.1%	3	0.5%	0	0.0%
Type of Procedui	re											
Suction Aspiration	18	38.3%	203	46.9%	635	34.4%	807	50.2%	319	52.1%	114	72.2%
RU-486	21	44.7%	134	30.9%	812	43.9%	570	35.5%	244	39.9%	42	26.6%
Dilation & Curettage	6	12.8%	64	14.8%	239	12.9%	134	8.3%	28	4.6%	3	1.9%
Dilation & Evacuation	2	4.3%	32	7.4%	154	8.3%	85	5.3%	15	2.5%	0	0.0%

 $Oklahoma\ State\ Department\ of\ Health. OK2Share\ Vital\ Statistics.\ Accessed\ on\ 7/20/2016 < http://www.health.state.ok.us/stats/index.shtml$

Table 8. 2015 Number of Legal Induced Abortions Reported – By Previous Live Births and Selected Characteristics

Characteristics	0 bi	us Live	1 h	irth	2 hi	rths	2 hi	rths	≥4 births		
Total # of Abortions	1891	%	1198	%	950	%	427	%	239	%	
White		66.1%		60.5%		59.4%		54.3%		43.19	
Black	285	15.1%		22.0%	198		97	22.7%		29.3%	
	92										
American Indian	_	4.9%	50	4.2%	38	4.0% 5.5%	16	3.7%	17	7.19	
Asian	82	4.3%	38	3.2%	52		17	4.0%	4	1.79	
Other	181	9.6%	120	10.0%	98	10.3%	65	15.2%	45	18.89	
Age of Mother	460	24 504	50	4.007	4	*	*	*	-	0.00	
< 20 yrs	463		59	4.9%					0	0.09	
20-24 yrs	829		452			20.6%		14.5%	11	4.69	
25-29 yrs		21.5%		28.0%		32.2%		26.9%		22.29	
30-34 yrs	141	7.5%		18.4%		24.6%		34.2%		39.79	
≥ 35 yrs	52	2.7%	131	10.9%	211	22.2%	99	23.2%	80	33.59	
Marital Status											
Married	107	5.7%	190		247	26.0%		32.8%		26.89	
Never Married	1723		848	70.8%	502		194	45.4%	126	52.79	
Separated	16	0.8%	42	3.5%	48	5.1%	25	5.9%	13	5.49	
Divorced	42	2.2%	114	9.5%	144	15.2%	56	13.1%	33	13.89	
Education											
< 8th grade	22	1.2%	3	0.3%	3	0.3%	10	2.3%	9	3.89	
9-12 no diploma	182	9.6%	91	7.6%	69	7.3%	56	13.1%	35	14.69	
HS/GED completed	616	32.6%	502	41.9%	415	43.7%	192	45.0%	121	50.69	
Some College	710	37.5%	410	34.2%	305	32.1%	127	29.7%	54	22.69	
Bachelor's Degree	281	14.9%	154	12.9%	126	13.3%	32	7.5%	19	7.99	
Post Grad Work	80	4.2%	38	3.2%	29	3.1%	10	2.3%	1	0.49	
Previous Abortions											
0 Abortions	1467	77.6%	771	64.4%	555	58.4%	225	52.7%	125	52.39	
1 Abortion	322	17.0%		25.0%		25.6%	117	27.4%		30.19	
2 Abortions	77	4.1%	80	6.7%		10.4%	47	11.0%	22	9.29	
≥ 3 Abortions	25	1.3%	47	3.9%	52	5.5%	37	8.7%	20	8.49	
Gestational Age		2.070		0.070		0.070	0.	0.770		0	
≤6 wks	1183	62.6%	711	59.3%	569	59.9%	258	60.4%	133	55.69	
7 wks	184	9.7%	100	8.3%	89	9.4%	25	5.9%	23	9.69	
8 wks	152			8.0%		8.3%		8.9%		7.19	
9-10 wks	188	9.9%		12.3%	88			13.8%		13.89	
11-12 wks	136	7.2%	106		97		39	9.1%	18	7.5	
13-15 wks	47	2.5%					7		15		
	1		36		28	2.9%		1.6%		6.39	
16+ wks	1	0.1%	2	0.2%	0	0.0%	1	0.2%	0	0.0	
Type of Procedure	020	40.70/	F30	42 40/	204	40 404	100	20.20/	0.4	2E 44	
Suction Aspiration		49.7%		43.4%		40.4%		39.3%		35.19	
RU-486		37.5%		38.8%		41.2%		39.6%		37.29	
Dilation & Curettage	136	7.2%		10.6%		11.9%		13.8%		16.39	
Dilation & Evacuation	99	5.2%	78	6.5%	58	6.1%	27	6.3%	25	10.59	

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 7/20/2016http://www.health.state.ok.us/stats/index.shtml

Table 9. 2015 Number of Legal Induced Abortions Reported – By Previous Abortions and Selected Characteristics

	Previou	s Abort	ions					
Characteristics	0 Abo	rtions	1 Abo	rtion	2 Abo	rtions	≥3 Abo	rtions
Total # of abortions	3143	%	1053	%	325	%	181	%
White	1959	62.3%	630	59.8%	190	58.5%	93	51.4%
Black	546	17.4%	234	22.2%	76	23.4%	58	32.0%
American Indian	143	4.5%	43	4.1%	13	4.0%	14	7.7%
Asian	130	4.1%	39	3.7%	21	6.5%	4	2.2%
Other	363	11.5%	107	10.2%	25	7.7%	13	7.2%
Age of Mother	-							
< 20 yrs	485	15.4%	38	3.6%	2	0.6%	0	0.0%
20-24 yrs	1200	38.2%	277	26.3%	60	18.5%	13	7.2%
25-29 yrs	729	23.2%	336	31.9%	98	30.2%	51	28.2%
30-34 yrs	436	13.9%	233	22.1%	100	30.8%	68	37.6%
≥ 35 yrs	292	9.3%	169	16.0%	65	20.0%	49	27.1%
Marital Status	-							
Married	506	16.1%	159	15.1%	55	16.9%	28	15.5%
Never Married	2312	73.6%	729	69.2%	225	69.2%	126	69.6%
Separated	86	2.7%	41	3.9%	11	3.4%	5	2.8%
Divorced	224	7.1%	113	10.7%	34	10.5%	17	9.4%
Education								
< 8th grade	36	1.1%	9	0.9%	0	0.0%	2	1.1%
9-12 no diploma	327	10.4%	73	6.9%	22	6.8%	11	6.1%
HS/GED completed	1227	39.0%	404	38.4%	131	40.3%	83	45.9%
Some College	1036	33.0%	372	35.3%	129	39.7%	68	37.6%
Bachelor's Degree	413	13.1%	153	14.5%	33	10.2%	12	6.6%
Post Grad Work	103	3.3%	41	3.9%	10	3.1%	4	2.2%
Previous Live Births								
0 Live Births	1467	46.7%	322	30.6%	77	23.7%	25	13.8%
1 Live Birth	771	24.5%	299	28.4%	80	24.6%	47	26.0%
2 Live Births	555	17.7%	243	23.1%	99	30.5%	52	28.7%
3 Live Births	225	7.2%	117	11.1%	47	14.5%	37	20.4%
≥4 Live Births	125	4.0%	72	6.8%	22	6.8%	20	11.0%
Gestational Age								
≤ 6 wks	1898	60.4%	663	63.0%	187	57.5%	106	58.6%
7 wks	282	9.0%	95	9.0%	27	8.3%	15	8.3%
8 wks	252	8.0%	88	8.4%	28	8.6%	14	7.7%
9-10 wks	353	11.2%	101	9.6%	39	12.0%	22	12.2%
11-12 wks	260	8.3%	88	8.4%	31	9.5%	16	8.8%
13-15 wks	94	3.0%	18	1.7%	13	4.0%	8	4.4%
16+ wks	4	0.1%	0	0.0%	0	0.0%	0	0.0%
Type of Procedure								
Suction Aspiration	1397	44.4%	504	47.9%	139	42.8%	54	29.8%
RU-486	1241	39.5%	387	36.8%	123	37.8%	72	39.8%
Dilation & Curettage	288	9.2%	110	10.4%	36	11.1%	39	21.5%
Dilation & Evacuation	199	6.3%	46	4.4%	26	8.0%	15	8.3%

 $Oklahoma\ State\ Department\ of\ Health. OK2Share\ Vital\ Statistics.\ Accessed\ on\ 7/21/2016 < http://www.health.state.ok.us/stats/index.shtml$