2019 Oklahoma Abortion Statistics

A Woman's Right to Know

Introduction

The Oklahoma State Department of Health (OSDH) collects statistical data of the abortions performed in licensed abortion facilities in Oklahoma. This data is used to monitor legal induced abortion in the state and to describe those women receiving legal abortion services. The data referred to in this report has been taken from http://www.health.state.ok.us/ok2share/ and compiled to present common characteristics of women who obtained legal abortions in the state of Oklahoma.

Table 1. 2019 Number of Legal Induced Abortions Reported

In 2019, 4,995 abortions were reported to OSDH. This averages to 416 abortions per month.


Oklahoma State Abortion Statistics 2019 Number of Legal Induced Abortions Reported

Total number of Abortions	4995	
Age (yrs)	Number	Percentage
<20	519	10.4%
20-24	1517	30.4%
25-29	1384	27.7%
30-34	901	18.0%
≥35	663	13.3%
Unknown	11	0.1%
Race		
White	2626	52.6%
Black	1061	21.2%
American Indian	250	5.0%
Asian	158	3.2%
Other	883	17.7%
Unknown	17	0.1%
Marital Status		
Married	844	16.9%
Never Married	3586	71.8%
Separated	97	1.9%
Divorced	307	6.1%
Widowed	150	3.0%
Unknown	11	0.2%
Education		
<8th grade	87	1.7%
9-12 grade, no diploma	501	10.0%
Highschool graduate or GED	2019	40.4%
Some College Credit	1873	37.5%
Bachelor's Degree	365	7.3%
Post Grad Work	139	2.8%
Unknown	11	0.2%


Total number of Abortions	4995	
Previous Live Births	Number	Percentage
0	1890	37.8%
1	1208	24.2%
2	1055	21.1%
3	507	10.2%
≥4	332	6.6%
Unknown	3	0.1%
Previous Abortions		
0	3558	71.2%
1	975	19.5%
2	304	6.1%
≥3	155	3.1%
Unknown	3	0.1%
Gestational Age		
≤ 6 wks	2177	43.6%
7 wks	922	18.5%
8 wks	570	11.4%
9-10 wks	586	11.7%
11-12 wks	375	7.5%
13-15 wks	217	4.3%
16-20 wks	128	2.6%
21+ wks	16	0.3%
Unknown	4	0.1%
Type of Procedure		
Suction Aspiration	1771	35.5%
RU-486	2496	50.0%
Dilation & Curettage	123	2.5%
Dilation & Evacuation	522	10.5%
Unknown	83	1.7%

 $Oklahoma\ State\ Department\ of\ Health. OK2Share\ Vital\ Statistics.\ Accessed\ on\ 10/15/2021 < http://www.health.state.ok.us/stats/index.shtml$

The majority of abortions were obtained by women aged 20-29 years of age (58.1%). Women over 30 years of age comprised 31.3% of the abortions while women under the age of 20 obtained 10.4% of the abortions.




The majority of abortions were to white women (52.6%), with black women at (21.2%), and the lowest percentage was Asian women (3.2%).




 $Oklahoma\ State\ Department\ of\ Health. OK2Share\ Vital\ Statistics.\ Accessed\ on\ 12/13/2021 < http://www.health.state.ok.us/stats/index.shtml$

The majority of abortions were to women who have never been married (71.8%). Married women obtained 16.9% of the abortions in 2019, and women who were separated or divorced obtained 8%. In 2019 abortions among women who identified as widows increased to 3%.




The highest percentage of abortions were to women who have attained a high school diploma or GED (40.4%), the next was to women who have some college credits, but not graduated (37.5%).




 $Oklahoma\ State\ Department\ of\ Health. OK2Share\ Vital\ Statistics.\ Accessed\ on\ 12/14/2021 < http://www.health.state.ok.us/stats/index.shtml$

In 2019, 37.8% of the abortions were on women who have no prior live births. Women who had at least one prior live birth comprised 24.2%.




Women who had no previous abortions were 71.2% while 19.5% of the abortions were obtained by women who have had at least one or more previous abortions.




Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 11/20/2021http://www.health.state.ok.us/stats/index.shtml

The majority of abortions in Oklahoma were performed on women in the first 8 weeks of pregnancy (73.5%).



The two most common procedures used on women obtaining abortions were Suction Aspiration, first trimester surgical procedure (35.5%) and RU-486, non-surgical (50%).



Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 1/7/2022https://www.health.state.ok.us/stats/index.shtml

Table 2. 2019 Number of Legal Induced Abortions Reported By Age Groups and Selected Characteristics

Age Group (yrs) 4995 Total reported abortions

Characteristic	<20		20-24		25-29		30-34		≥35	
Total Number of Abortions	519	10.4%	1517	30.4%	1384	27.7%	901	18.0%	663	13.3%
White	272	52.4%	776	51.2%	690	49.9%	512	56.8%	369	55.7%
Black	97	18.7%	308	20.3%	346	25.0%	192	21.3%	118	17.8%
American Indian	30	5.8%	86	5.7%	69	5.0%	38	4.2%	27	4.1%
Asian	12	2.3%	39	2.6%	32	2.3%	32	3.6%	43	6.5%
Other	106	20.4%	302	19.9%	243	17.6%	124	13.8%	103	15.5%
	100	20.4%	302	19.9%	243	17.0%	124	13.8%	103	15.5%
Education	22	4.20/	10	1.20/	1.0	1 20/	11	1 20/	20	0.00/
<8th grade	22	4.2%	18	1.2%	16	1.2%	11	1.2%	20	0.8%
9-12 grade, no diploma	131	25.2%	132	8.7%	107	7.7%	67	7.4%	64	9.7%
Highschool graduate or GED	257	49.5%	675	44.5%	558	40.3%	319	35.4%	210	31.7%
Some College Credit	100	19.3%	619	40.8%	532	38.4%	360	40.0%	255	38.5%
Bachelor's Degree	3	1.2%	60	4.0%	127	9.2%	100	11.1%	76	11.5%
Post Grad Work	6	1.2%	13	0.9%	42	3.0%	41	4.6%	38	5.7%
Marital Status					ı		ı		1	
Married	22	4.2%	95	6.3%	273	19.7%	244	27.1%	210	31.7%
Never Married	469	90.4%	1313	86.6%	987	71.3%	510	56.6%	299	45.1%
Separated	3	0.0%	17	1.1%	26	1.9%	32	3.6%	15	2.3%
Divorced	10	1.9%	28	1.8%	59	4.3%	94	10.4%	113	115.0%
Widowed	15	2.9%	62	0.3%	34	0.2%	20	0.5%	19	0.8%
Previous Live Births										
0 Previous Live Births	411	79.2%	794	52.3%	405	29.3%	183	20.3%	91	13.7%
1 Previous Live Birth	70	13.5%	436	28.7%	336	24.3%	204	22.6%	160	24.1%
2 Previous Live Births	21	4.0%	207	13.6%	392	28.3%	245	27.2%	187	28.2%
3 Previous Live Births	10	1.9%	59	3.9%	156	11.3%	165	18.3%	115	17.3%
≥4 Previous Live Births	6	1.2%	21	1.4%	95	6.9%	104	11.5%	106	16.0%
Previous ITOPs	•						•			
0 Previous Abortions	477	91.9%	1178	77.7%	924	66.8%	573	63.6%	396	59.7%
1 Previous Abortion	33	6.4%	276	18.2%	298	21.5%	208	23.1%	160	24.1%
2 Previous Abortions	7	1.3%	52	3.4%	108	7.8%	69	7.7%	68	10.3%
≥3 Previous Abortions	1	0.2%	11	0.7%	53	3.8%	51	5.7%	38	5.7%
Gestational Age					I		I		L	
≤6 wks	204	39.3%	628	41.4%	619	44.7%	411	45.6%	305	46.0%
7 wks	99	19.1%	269	17.7%	272	19.7%	158	17.5%	124	18.7%
8 wks	57	11.0%	193	12.7%	158	11.4%	89	9.9%	73	11.0%
9-10 wks	60	11.6%	190	12.5%	158	11.4%	112	12.4%	66	10.0%
11-12 wks	54	10.4%	117	7.7%	86	6.2%	68	7.5%	51	7.7%
13-15 wks	30	5.8%	73	4.8%	47	3.4%	41	4.6%	25	3.8%
≥16 wks	15	2.9%	47	3.1%	43	3.1%	22	2.4%	17	2.6%
Type of Procedure	1 13	2.370	1 7/	3.170		3.1/0		2.770	1 -/	2.070
Suction Aspiration	171	32.9%	517	34.1%	472	34.1%	347	38.5%	261	39.4%
RU-486	257	49.5%	766	50.5%	711	51.4%	449	49.8%	306	46.2%
Dilation & Curettage	19	3.7%	38	2.5%	33	2.4%	16	1.8%	16	2.4%
-										
Dilation & Evacuation	68	13.1%	168	11.1%	140	10.1%	77	8.5%	69	10.4%

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 11/20/2021http://www.health.state.ok.us/stats/index.shtml

Table 3. 2019 Number of Legal Induced Abortions Reported By Race and Selected Characteristics

Race 4995 Total reported abortions

Characteristic	White		Black		Am. Indian		Asian		Other	
Total Number of Abortions	2626	52.6%	1061	21.2%	250	5.0%	158	3.2%	883	17.6%
<20 yrs	272	10.4%	97	9.1%	30	12.0%	12	7.6%	106	12.0%
20-24 yrs	776	29.6%	308	29.0%	86	34.4%	39	24.7%	302	34.2%
25-29 yrs	690	26.3%	346	32.6%	69	27.6%	32	20.3%	243	27.5%
30-34 yrs	512	19.5%	192	18.1%	38	15.2%	32	20.3%	124	14.0%
≥35 yrs	369	14.1%	118	11.1%	26	10.4%	43	27.2%	104	11.8%
Education	•									
<8th grade	29	1.1%	6	0.6%	1	0.4%	7	4.4%	42	4.8%
9-12 grade, no diploma	265	10.1%	60	5.7%	33	13.2%	12	7.6%	130	14.7%
Highschool graduate or GED	1030	39.2%	464	47.8%	114	45.6%	41	25.9%	361	40.9%
Some College Credit	1009	38.4%	427	40.2%	84	33.6%	54	34.2%	294	33.3%
Bachelor's Degree	219	8.3%	71	6.7%	2	0.8%	27	17.1%	37	4.2%
Post Grad Work	69	2.6%	30	2.8%	7	2.8%	17	10.8%	16	1.8%
Previous Live Births	l.		I		I		I		I	
0 Previous Live Births	1067	40.6%	332	31.3%	101	40.4%	68	43.0%	314	35.6%
1 Previous Live Birth	631	24.0%	297	28.0%	56	22.4%	35	22.2%	187	21.2%
2 Previous Live Births	532	20.3%	230	21.7%	63	25.2%	31	19.6%	197	22.3%
3 Previous Live Births	258	9.8%	112	10.6%	15	6.0%	10	6.3%	110	12.5%
≥4 Previous Live Births	136	5.2%	89	8.4%	15	6.0%	14	8.9%	75	8.5%
Previous ITOPs			ı		I		I		I	
0 Previous Abortions	1880	71.6%	696	65.6%	179	71.6%	124	78.5%	663	75.1%
1 Previous Abortion	512	19.5%	233	22.0%	52	20.8%	25	15.8%	152	17.2%
2 Previous Abortions	165	6.3%	85	8.0%	12	4.8%	6	3.8%	36	4.1%
≥3 Previous Abortions	67	2.6%	46	4.3%	7	2.8%	3	1.9%	32	3.6%
Marital Status	•									
Married	468	17.8%	116	10.9%	42	16.8%	63	39.9%	153	17.3%
Never Married	1790	68.2%	874	82.4%	170	68.0%	78	49.4%	665	75.3%
Separated	56	2.1%	15	1.4%	5	2.0%	2	1.3%	16	1.8%
Divorced	225	8.6%	23	2.2%	23	9.2%	10	6.3%	24	2.7%
Widowed	82	3.1%	29	0.3%	10	1.1%	5	3.2%	23	0.1%
Gestational Age			I.		1					
<6 wks	1198	45.6%	413	38.9%	118	47.2%	82	51.9%	354	40.1%
7 wks	475	18.1%	181	17.1%	50	20.0%	33	20.9%	182	20.6%
8 wks	282	10.7%	163	15.4%	20	8.0%	10	6.3%	94	10.6%
9-10 wks	302	11.5%	126	11.9%	29	11.6%	17	10.8%	109	12.3%
11-12 wks	193	7.3%	90	8.5%	19	7.6%	7	2.1%	66	7.5%
13-15 wks	102	3.9%	58	5.5%	7	2.8%	5	3.2%	45	5.1%
16-20 wks	64	2.4%	25	2.4%	7	2.8%	1	0.6%	29	3.3%
21 + WKS	8	0.3%	1	0.3%	0	0.3%	1	0.0%	1	0.5%
Type of Procedure	•		•		•		•		•	
Suction Aspiration	889	33.9%	466	43.9%	42	16.8%	54	34.2%	319	36.1%
RU-486	1342	51.1%	450	42.4%	166	66.4%	86	54.4%	442	50.1%
Dilation & Curettage	66	2.5%	23	2.2%	12	4.8%	2	1.3%	19	2.2%
Dilation & Evacuation	281	10.7%	111	10.5%	28	11.2%	12	7.6%	87	9.9%

 $Oklahoma\ State\ Department\ of\ Health.OK2Share\ Vital\ Statistics.\ Accessed\ on\ 12/13/2021 < http://www.health.state.ok.us/stats/index.shtml$

Table 4. 2019 Number of Legal Induced Abortions Reported By Gestational Age and Selected Characteristics

Gestational Age 4995 Total reported abortions Characteristic <6 wks 7 wks 9-10 wks 11-12 wks 13-15 wks 16+ wks 8 wks **Total Number of Abortions** 2177 43.6% 922 18.5% 570 11.4% 586 11.7% 375 7.5% 217 4.3% 144 2.9% White 1198 55.0% 475 51.5% 282 49.5% 302 51.5% 193 51.5% 102 47.0% 72 50.0% 413 19.0% 181 19.6% 28.6% 126 21.5% 24.0% 26.7% 19.4% **Black** 163 58 28 5.4% 5.4% 3.5% 29 4.9% Am. Indian 118 50 20 4.9% 19 5.1% 7 3.2% 7 82 17 7 2.1% Asian 3.8% 33 3.6% 10 1.8% 2.9% 1.9% 5 2.3% 3 Other 354 16.3% 182 19.7% 94 16.5% 109 18.6% 66 17.6% 45 20.7% 34 23.6% Age of Mother 9.4% 10.7% 10.2% <20 yrs 204 99 57 10.0% 14.1% 14.3% 10.4% 60 31 15 28.8% 29.2% 32.4% 20-24 yrs 628 269 193 33.9% 190 117 31.2% 73 33.6% 47 32.6% 25-29 yrs 619 272 158 28.4% 29.5% 158 27.7% 27.0% 86 22.9% 47 21.7% 43 29.9% 30-34 yrs 18.9% 18.9% 411 158 17.1% 89 15.6% 112 19.1% 68 18.1% 41 20 13.9% ≥35 yrs 305 14.0% 124 13.4% 12.3% 11.3% 13.6% 11.5% 3.5% **Education** < 8th grade 48 2.2% 10 1.1% 11 1.9% 10 1.7% 3 0.8% 2 0.9% 3 3.5% 8.1% 9-12 grade, no diploma 8.9% 88 9.5% 73 12.5% 13.9% 14.7% 193 46 52 32 17 11.8% 47.5% 37.9% 42.7% 46.5% Highscchool graduate or GED 359 38.9% 248 43.5% 250 178 89 41.0% 826 67 Some college 38.9% 40.9% 34.7% 846 377 214 37.5% 196 33.4% 107 28.5% 82 37.8% College graduate 185 8.5% 64 6.9% 36 7.0% 25 8 3.7% 3.5% 6.3% 41 6.7% 1.4% 74 3.4% 19 2.1% 2.7% 2.7% 0.9% 2 Post grad work 15 2.6% 16 10 2 **Marital Status** 16.3% 421 19.3% 150 15.1% 77 13.1% 13.3% 13.8% 20.1% Married 86 50 30 29 **Never Married** 1481 68.0% 673 73.0% 425 74.6% 439 74.9% 290 77.3% 169 77.9% 106 73.6% Separated 46 2.1% 15 1.6% 14 2.5% 7 1.2% 10 2.7% 3 1.4% 2.8% 7.3% 7 3.2% 3 2.1% Divorced 159 44 4.8% 28 4.9% 46 7.8% 19 5.1% 3.1% 35 0.0% 2.7% 1.6% 3.7% 2 1.4% Widowed 67 15 2.6% 16 6 8 **Previous Live Births O Previous Births** 863 39.6% 366 39.7% 199 34.9% 196 33.4% 141 37.6% 71 32.7% 37.5% 1 Previous Birth 527 24.2% 208 22.6% 157 27.5% 141 24.1% 89 23.7% 58 26.7% 26 18.1% 2 Previous Births 458 21.0% 194 21.0% 119 20.9% 133 22.7% 69 18.4% 48 22.1% 34 23.6% 3 Previous Births 200 9.2% 9.9% 57 10.0% 61 10.4% 12.0% 12.9% 16.0% ≥4 Previous Births 5.9% 6.7% 6.7% 5.5% 4.9% 128 62 38 9.4% 8.0% **Previous ITOPs O Previous Abortions** 1556 71.5% 656 71.1% 404 70.9% 400 68.3% 260 69.3% 167 77.0% 113 78.5% 1 Previous Abortion 425 19.5% 174 18.9% 114 20.0% 122 20.8% 77 20.5% 37 17.1% 17.4% 2 Previous Abortions 124 5.7% 62 6.7% 6.7% 40 6.8% 25 6.7% 9 4.1% 5 3.5% 38 ≥3 Previous Abortions 71 3.3% 29 3.1% 2.5% 4.1% 12 3.2% 1.8% 1 0.7% Type of Procedure Suction Aspiration 617 28.3% 287 31.1% 243 42.6% 314 53.6% 263 70.1% 46 21.2% 1 0.7% **RU-486** 1450 66.6% 573 62.1% 282 49.5% 178 30.4% 3 0.8% 5 2.3% 1 0.7% Dilation & Curettage 36 1.7% 9 1.0% 2.1% 3.7% 6.9% 10.4% 12 24 4.1% 14 15 15 Dilation & Evacuation 39 0.2% 30 3.3% 20 3.5% 61 10.4% 95 25.3% 151 69.6% 125 86.8% Unknown 35 0.2% 23 2.5% 9 0.0% 0.0% 0.7% 2.3% 1.5% 0 0

 $Oklahoma\ State\ Department\ of\ Health. OK2Share\ Vital\ Statistics.\ Accessed\ on\ 12/13/2021 < http://www.health.state.ok.us/stats/index.shtml$

Table 5. 2019 Number of Legal Induced Abortions Reported By Marital Status and Selected Characteristics

4995 **Total reported abortions Marital Status** Characteristic Widowed Married **Never Married** Separated Divorced **Total Number of Abortions** 844 16.9% 3586 71.8% 97 1.9% 307 6.1% 150 3.0% White 468 55.5% 1790 49.9% 56 57.7% 225 73.3% 82 54.7% Black 116 13.7% 874 24.4% 15 15.5% 23 7.5% 29 19.3% 5.0% 4.7% 5.2% 23 7.5% 10 6.7% American Indian 42 170 5 Asian 63 7.5% 78 2.2% 3 3.1% 10 3.3% 5 3.3% Other 153 18.1% 665 18.5% 16 16.5% 24 7.8% 23 15.3% **Education** <8th grade 9 1.1% 63 1.8% 2 2.1% 7 2.3% 5 3.3% 65 7.7% 390 10.9% 11.3% 17 5.5% 17 11.3% 9-12 grade, no diploma 11 33.9% 42.9% 37 38.1% 94 30.6% 62 41.3% Highschool graduate or GED 286 1538 32 148 Some College Credit 338 40.0% 1287 35.9% 33.0% 48.2% 62 41.3% Bachelor's Degree 101 223 25 3 2.0% 12.0% 6.2% 12 12.4% 8.1% Post Grad Work 42 5.0% 80 2.2% 2 2.1% 15 4.9% 1 0.7% **Previous Live Births** 45.3% 19.1% 1602 44.7% 15.5% 13.7% O Previous Live Births 161 15 42 68 24.3% 23.2% 18.6% 28.7% 21.3% 1 Previous Live Birth 196 872 18 88 32 2 Previous Live Births 257 30.5% 645 18.0% 36 37.1% 90 29.3% 23 15.3% 55 3 Previous Live Births 149 17.7% 271 7.6% 14 14.4% 17.9% 17 11.3% ≥4 Previous Live Births 81 9.6% 193 5.4% 14 14.4% 32 10.4% 10 6.7% **Previous Abortions** 70.1% **O Previous Abortions** 600 71.1% 2586 72.1% 68 192 62.5% 108 72.0% 1 Previous Abortion 156 18.5% 689 19.2% 20 20.6% 23.8% 22.7% 73 34 2 Previous Abortions 53 208 5 29 6.3% 5.8% 5.2% 9.4% 4.7% 35 100 0.7% ≥3 Previous Abortions 4.1% 2.8% 4 4.1% 13 4.2% 1 **Gestational Age** 421 49.9% 1481 41.3% 46 47.4% 159 51.8% 67 44.7% < 6 wks 18.8% 15.5% 23.3% 7 wks 17.8% 14.3% 35 150 673 15 44 8 wks 86 10.2% 425 11.9% 14 14.4% 28 9.1% 15 10.0% 9-10 wks 77 9.1% 439 12.2% 7 7.2% 46 15.0% 16 10.7% 11-12 wks 50 5.9% 290 8.1% 10 10.3% 19 6.2% 6 4.0% 13-15 wks 30 3.6% 169 4.7% 3 3.1% 7 2.3% 8 5.3% 29 3.4% 106 3.0% 2 2.1% 4 1.3% 3 2.0% ≥16 wks Type of Procedure **Suction Aspiration** 301 35.7% 1369 38.2% 24 24.7% 67 21.8% 10 6.7% RU-486 449 48 110 53.2% 1699 47.4% 49.5% 181 59.0% 73.3% Dilation & Curettage 13 1.5% 91 2.5% 4 4.1% 13 4.2% 2 1.3% Dilation & Evacuation 68 8.1% 371 10.3% 15 15.5% 39 12.7% 28 18.7% Age of Mother 22 2.6% 469 13.1% 4.1% 9 2.9% 16 10.7% <20 yrs 4 17.5% 20-24 yrs 95 11.3% 1313 36.6% 17 28 9.1% 62 41.3% 273 32.3% 987 27.5% 26 59 34 22.7% 25-29 yrs 26.8% 19.2% 30-34 yrs 244 28.9% 510 14.2% 32 33.0% 94 30.6% 20 13.3% ≥ 35 yrs 209 24.8% 299 8.3% 18 18.6% 115 37.5% 18 12.0%

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 12/13/2021http://www.health.state.ok.us/stats/index.shtml

Table 6. 2019 Number of Legal Induced Abortions Reported By Type of Procedure and Selected Characteristics

Type of Procedure 5014 Total abortions reported Dilation & Dilation & Characteristic **Suction Aspiration RU-486** Curettage **Evacuation Total Number of Abortions** 2496 1771 35.5% 50.0% 123 2.5% 522 10.5% White 889 50.2% 1342 53.8% 53.7% 281 53.8% Black 466 26.3% 450 18.0% 23 18.7% 111 21.3% American Indian 42 2.4% 166 6.7% 12 9.8% 28 5.4% Asian 54 3.0% 86 3.4% 3 2.4% 12 2.3% Other 319 18.0% 442 17.7% 19 15.4% 87 16.7% Age of Mother < 20 yrs 171 171.0% 257 10.3% 19 15.4% 68 13.0% 20-24 yrs 517 29.2% 30.7% 30.9% 32.2% 766 38 168 472 25-29 yrs 26.7% 711 28.5% 33 26.8% 140 26.8% 347 449 18.0% 13.0% 77 14.8% 30-34 yrs 19.6% 16 14.9% 15 ≥35 yrs 264 304 12.2% 12.2% 69 13.2% **Marital Status** 17.0% 18.0% 10.6% 13.0% Married 301 449 13 68 Unmarried 1369 77.3% 1699 68.1% 91 74.0% 371 71.1% 24 1.9% 4 3.3% 2.9% Separated 1.4% 48 15 13 Divorced 67 3.8% 181 7.3% 10.6% 39 7.5% Widowed 10 0.6% 110 4.4% 2 1.6% 28 5.4% Education < 8th grade 21 1.2% 48 1.9% 4 3.3% 2.5% 13 9-12 grade, no diploma 189 10.7% 214 8.6% 21 17.1% 70 13.4% Highschool graduate or GED 700 39.5% 997 39.9% 61 49.6% 231 44.3% Some College Credit 620 35.0% 1014 40.6% 34 27.6% 176 33.7% Bachelor's Degree 169 9.5% 166 6.7% 2 1.6% 18 3.4% Post Grad Work 71 4.0% 49 2.0% 0 0.0% 14 2.7% **Previous Live Births** O Previous Live Births 651 36.8% 976 39.1% 39 31.7% 189 36.2% 1 Previous Live Birth 469 26.5% 587 23.5% 26 21.1% 113 21.6% 2 Previous Live Births 384 21.7% 501 20.1% 33 26.8% 117 22.4% 3 Previous Live Births 164 9.3% 254 10.2% 15 12.2% 68 13.0% ≥ 4 Previous Live Births 100 5.6% 178 10 35 6.7% 7.1% 8.1% **Previous Abortions O Previous Abortions** 1160 65.5% 1867 74.8% 88 71.5% 377 72.2% 1 Previous Abortion 17.5% 21 104 402 22.7% 437 17.1% 19.9% 123 2 Previous Abortions 6.9% 141 5.6% 7 5.7% 29 5.6% 4.7% 7 5.7% 12 ≥ 3 Previous Abortions 83 51 2.0% 2.3% **Gestational Age** ≤ 6 wks 617 34.8% 1450 58.1% 36 29.3% 39 7.5% 7 wks 287 16.2% 573 23.0% 9 7.3% 30 5.7% 8 wks 243 27.3% 282 11.3% 12 9.8% 20 3.8% 314 24 9-10 wks 17.7% 178 7.1% 19.5% 61 11.7% 95 11-12 wks 263 14.9% 2 14 18.2% 0.1% 11.4% 13-15 wks 46 2.6% 5 0.2% 15 12.2% 151 28.9%

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 01/07/2022https://www.health.state.ok.us/stats/index.shtml

2

0.1%

13

10.6%

125

0.1%

1

16 + wks

23.9%

Table 7. 2019 Number of Legal Induced Abortions Reported By Mother's Education and Selected Characteristics

Education of Mother 4995 Total abortions reported 9-12, no H.S./GED Bachelor's Post Grad < 8th grade Characteristics diploma completed **Some College** Degree Work Total # of abortions 501 10.0% 2019 40.4% 37.5% 87 1.7% 1873 365 7.3% 139 2.8% White 29 52.9% 1030 51.0% 1009 219 60.0% 49.6% 33.3% 265 53.9% 69 Black 6 6.9% 60 12.0% 464 23.0% 427 22.8% 71 19.5% 30 21.6% American Indian 2 2.3% 6.6% 114 5.6% 84 4.5% 10 2.7% 7 5.0% 33 Asian 7 8.0% 12 2.4% 2.0% 2.9% 27 7.4% 17 12.2% Other 42 48.3% 130 25.9% 361 17.9% 294 15.7% 10.1% 11.5% 37 16 Age of Mother <20 yrs 22 25.3% 131 26.1% 257 12.7% 100 5.3% 2 0.5% 4.3% 6 20-24 yrs 18 20.7% 132 26.3% 675 33.4% 619 33.0% 60 16.4% 13 9.4% 25-29 yrs 16 18.4% 107 21.4% 27.6% 28.4% 127 34.8% 42 30.2% 558 532 30-34 yrs 11 12.6% 67 13.4% 319 15.8% 360 19.2% 100 27.4% 41 29.5% 20 23.0% 63 12.6% 206 10.2% 255 13.6% 20.8% 37 26.6% ≥ 35 yrs 76 **Marital Status** 65 13.0% Married 9 10.3% 286 14.2% 338 18.0% 101 27.7% 42 30.2% **Never Married** 63 72.4% 390 77.8% 1538 76.2% 1287 68.7% 223 61.1% 80 57.6% Separated 3 3.4% 11 2.2% 37 1.8% 32 1.7% 12 3.3% 1 0.7% Divorced 7 8.0% 17 3.4% 94 4.7% 148 7.9% 25 6.8% 15 10.8% Widowed 5 5.7% 3.4% 3.1% 17 62 62 3.3% 1 0.3% 1 0.7% **Previous Live Births** O Live Births 30 34.5% 182 36.3% 670 33.2% 767 41.0% 167 45.8% 68 48.9% 18.2% 26.7% 1 Live Birth 11 12.6% 539 461 24.6% 73 20.0% 23.0% 2 Live Births 22.9% 20.0% 22.2% 15 17.2% 95 19.0% 462 374 81 27 19.4% 3 Live Births 14 71.3% 55 11.0% 217 10.7% 177 9.5% 34 9.3% 6.5% ≥4 Live Births 17 19.5% 78 15.6% 128 6.3% 94 5.0% 10 2.7% 3 2.2% **Previous Abortions** 0 Abortions 62 71.3% 369 73.7% 1412 69.9% 1354 72.3% 261 71.5% 93 66.9% 1 Abortion 19 21.8% 84 16.8% 411 20.4% 353 18.8% 77 21.1% 28 20.1% 3 5.8% 6.5% 6.0% 4.4% 7.9% 2 Abortions 3.4% 29 131 113 16 11 53 3.0% ≥3 Abortions 3 3.4% 19 3.8% 3.1% 2.8% 11 7 5.0% 62 **Gestational Age** 55.2% 40.9% ≤6 wks 48 193 38.5% 826 846 45.2% 185 50.7% 74 53.2% 7 wks 11.5% 377 20.1% 17.5% 19 13.7% 10 88 17.6% 359 17.8% 64 9.2% 9.9% 8 wks 11 12.6% 46 248 12.3% 214 11.4% 36 15 10.8% 9-10 wks 10 11.5% 73 14.6% 250 12.4% 196 10.5% 41 11.2% 16 11.5% 3 3.4% 52 10.4% 8.8% 5.7% 6.8% 10 7.2% 11-12 wks 178 107 25 13-15 wks 3 3.4% 32 6.4% 89 4.4% 82 4.4% 8 2.2% 3 2.2% 16+ wks 2 2.3% 17 3.4% 67 3.3% 50 2.7% 5 1.4% 2 1.4% Type of Procedure **Suction Aspiration** 21 24.1% 189 37.7% 700 34.7% 620 33.1% 169 46.3% 71 51.1% RU-486 48 55.2% 42.7% 997 49.4% 54.1% 45.5% 49 35.3% 214 1014 166 2.3% Dilation & Curettage 2 21 4.2% 61 3.0% 34 1.8% 2 0.5% 14 10.1% Dilation & Evacuation 14.9% 70 14.0% 11.4% 9.4% 4.9% 0 0.0% 13 231 176 18

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on12/14/2021http://www.health.state.ok.us/stats/index.shtml

Table 8. 2019 Number of Legal Induced Abortions Reported By Previous Live Births and Selected Characteristics

	Previo	us Live B	irths		4995 Total reported abortions						
Characteristics	0 b	irths	1 birth		2 b	irths	3	births	≥4	≥4 births	
Total # of Abortions	1890	37.8%	1208	24.2%	1055	21.1%	507	10.2%	332	6.6%	
White	1067	56.5%	631	52.2%	532	50.4%	258	50.9%	136	41.0%	
Black	332	17.6%	297	24.6%	230	21.8%	112	22.1%	89	26.8%	
American Indian	101	5.3%	56	4.6%	63	6.0%	15	3.0%	15	4.5%	
Asian	68	3.6%	35	2.9%	31	2.9%	10	2.0%	14	4.2%	
Other	314	16.6%	187	15.5%	197	18.7%	110	21.7%	75	22.6%	
Age of Mother	•										
< 20 yrs	411	21.7%	70	5.8%	21	2.0%	11	2.2%	6	1.8%	
20-24 yrs	794	42.0%	436	36.1%	207	19.6%	59	11.6%	21	6.3%	
25-29 yrs	405	21.4%	336	27.8%	392	37.2%	156	30.8%	94	28.3%	
30-34 yrs	183	9.7%	204	16.9%	245	23.2%	165	32.5%	104	31.3%	
, ≥ 35 yrs	91	4.8%	160	13.2%	186	17.6%	115	22.7%	107	32.2%	
Marital Status							ı				
Married	161	8.5%	196	16.2%	257	24.4%	149	29.4%	81	24.4%	
Never Married	1602	84.8%	872	72.2%	645	61.1%	271	53.5%	193	58.1%	
Separated	15	0.8%	18	1.5%	36	3.4%	14	2.8%	14	4.2%	
Divorced	42	2.2%	88	7.3%	90	8.5%	55	10.8%	32	9.6%	
Widowed	68	3.6%	32	2.6%	23	2.2%	17	3.4%	10	3.0%	
Education							1				
< 8th grade	30	1.6%	11	0.9%	15	1.4%	14	2.8%	17	5.1%	
9-12 no diploma	182	9.6%	91	7.5%	95	9.0%	55	10.8%	78	23.5%	
HS/GED completed	670	35.4%	539	44.6%	462	43.8%	217	42.8%	128	38.6%	
Some College	767	40.6%	461	38.2%	374	35.5%	177	34.9%	94	28.3%	
Bachelor's Degree	167	8.8%	73	6.0%	81	7.7%	34	6.7%	10	3.0%	
Post Grad Work	68	3.6%	32	2.6%	27	2.6%	9	1.8%	3	0.9%	
Previous Abortions	1 00	0.070	,	2.075		2.070		2.075		0.070	
0 Abortions	1531	81.0%	829	68.6%	702	66.5%	311	61.3%	185	55.7%	
1 Abortion	277	14.7%	279	23.1%	218	20.7%	119	23.5%	82	24.7%	
2 Abortions	63	3.3%	71	5.9%	80	7.6%	50	9.9%	40	12.0%	
≥ 3 Abortions	19	1.0%	29	2.4%	55	5.2%	27	5.3%	25	7.5%	
Gestational Age				2,	- 55	0.270		3.375		7.07.0	
≤ 6 wks	863	45.7%	527	43.6%	458	43.4%	200	39.4%	128	38.6%	
7 wks	366	19.4%	208	17.2%	194	18.4%	91	17.9%	62	18.7%	
8 wks	199	10.5%	157	13.0%	119	11.3%	57	11.2%	38	11.4%	
9-10 wks	196	10.4%	141	11.7%	133	12.6%	61	12.0%	55	16.6%	
11-12 wks	141	7.5%	89	7.4%	69	6.5%	45	8.9%	30	9.0%	
13-15 wks	71	3.8%	58	4.8%	48	4.5%	28	5.5%	12	3.6%	
16+ wks	54	2.9%	25	2.1%	33	3.1%	25	4.9%	6	1.8%	
Type of Procedure		570		,		0.1/0				,	
Suction Aspiration	651	34.4%	469	38.8%	384	36.4%	164	32.3%	100	30.1%	
RU-486	976	51.6%	587	48.6%	501	47.5%	254	50.1%	178	53.6%	
Dilation & Curettage	36	1.9%	26	2.2%	33	3.1%	15	3.0%	10	3.0%	
Dilation & Evacuation	189	10.0%	113	9.4%	117	11.1%	68	13.4%	35	10.5%	

 $Oklahoma\ State\ Department\ of\ Health.OK2Share\ Vital\ Statistics.\ Accessed\ on\ 1/03/2022 < http://www.health.state.ok.us/stats/index.shtml$

Table 9. 2019 Number of Legal Induced Abortions Reported By Previous Abortions and Selected Characteristics

Previous Abortions 4995 Total reported abortions Characteristics **0** Abortions 1 Abortion 2 Abortions ≥ 3 Abortions Total # of abortions 3558 71.2% 975 19.5% 304 6.1% 155 3.1% White 54.3% 1880 52.8% 512 52.5% 165 67 43.2% Black 696 19.6% 233 23.9% 85 28.0% 46 29.7% American Indian 179 5.0% 52 5.3% 12 3.9% 7 4.5% Asian 124 3.5% 25 2.6% 6 2.0% 1.9% Other 663 18.6% 152 15.6% 36 11.8% 32 20.6% Age of Mother 477 13.4% 3.4% 7 2.3% < 20 yrs 33 2 1.3% 20-24 yrs 1178 33.1% 276 28.3% 52 17.1% 11 7.1% 25-29 yrs 26.0% 298 30.6% 35.5% 34.2% 924 108 53 30-34 yrs 573 208 69 51 32.9% 16.1% 21.3% 22.7% ≥ 35 yrs 396 11.1% 159 16.3% 68 22.4% 38 24.5% **Marital Status** Married 16.9% 600 156 16.0% 53 17.4% 35 22.6% 72.7% 70.7% 64.5% **Never Married** 2586 689 208 68.4% 100 Separated 68 1.9% 20 2.1% 5 1.6% 2 1.3% Divorced 5.4% 73 7.5% 29 9.5% 13 192 8.4% Widowed 108 5.7% 34 7 4.2% 2 3.0% 6.6% Education < 8th grade 1.7% 19 1.9% 1 0.3% 2.6% 62 9-12 no diploma 369 10.4% 84 8.6% 29 9.5% 19 12.3% HS/GED completed 1412 39.7% 411 42.2% 43.1% 62 40.0% 131 Some College 1354 353 113 53 38.1% 36.2% 37.2% 34.2% Bachelor's Degree 7.3% 77 7.9% 5.3% 11 7.1% 261 16 Post Grad Work 93 2.6% 28 2.9% 11 3.6% 7 4.5% **Previous Live Births** O Live Births 43.0% 277 28.4% 20.7% 1531 63 19 12.3% 1 Live Birth 829 23.3% 279 28.6% 71 23.4% 29 18.7% 2 Live Births 702 19.7% 218 22.4% 80 26.3% 55 35.5% 3 Live Births 8.7% 119 12.2% 50 27 17.4% 311 16.4% ≥ 4 Live Births 185 5.2% 82 8.4% 40 13.2% 25 16.1% **Gestational Age** ≤ 6 wks 1556 43.7% 425 43.6% 124 40.8% 71 45.8% 7 wks 656 18.4% 174 17.8% 62 20.4% 29 18.7% 11.7% 8 wks 404 114 38 12.5% 14 9.0% 11.4% 9-10 wks 400 11.2% 122 12.5% 40 13.2% 24 15.5% 11-12 wks 7.3% 77 7.9% 25 8.2% 12 7.7% 260 13-15 wks 167 4.7% 37 3.8% 9 3.0% 3 1.9% 16+ wks 113 3.2% 25 2.6% 5 1.6% 1.3% Type of Procedure **Suction Aspiration** 1160 32.6% 402 41.2% 123 40.5% 83 53.5% RU-486 52.5% 437 44.8% 141 46.4% 51 32.9% 1867 Dilation & Curettage 88 2.5% 21 2.2% 7 2.3% 7 4.5% Dilation & Evacuation 377 10.6% 104 10.7% 29 9.5% 12 7.7%

Oklahoma State Department of Health.OK2Share Vital Statistics. Accessed on 1/12/2022http://www.health.state.ok.us/stats/index.shtml

11

4

2.1%

2.4%

2

3.5%

66

Unknown

3.0%